




moderna



engineered wood flooring





m.




MODERNA 1306 Oak Prime | 1900 mm x 190 mm x 14/3 mm | V Groove | light brushed | 23.32 sq.ft. / box | 6 planks per box





MODERNA 1369 Oak Hazelnut | 1900 mm x 190 mm x 14/3 mm | V Groove | light brushed | 23.32 sq.ft. / box | 6 planks per box





MODERNA 1378 Oak Domo | 1900 mm x 190 mm x 14/3 mm | V Groove | light brushed | 23.32 sq.ft. / box | 6 planks per box





MODERNA 1405 Oak Blanco | 1900 mm x 190 mm x 14/3 mm | V Groove | light brushed | 23.32 sq.ft. / box | 6 planks per box



MODERNA 1414 Oak Bonda | 1900 mm x 190 mm x 14/3 mm | V Groove | light brushed | 23.32 sq.ft. / box | 6 planks per box






MODERNA 1450 Oak Tan | 1900 mm x 190 mm x 14/3 mm | V Groove | light brushed | 23.32 sq.ft. / box | 6 planks per box



MODERNA 1468 Oak Cedar | 1900 mm x 190 mm x 14/3 mm | V Groove | light brushed | 23.32 sq.ft. / box | 6 planks per box



MODERNA 1477 Oak Luna | 1900 mm x 190 mm x 14/3 mm | V Groove | light brushed | 23.32 sq.ft. / box | 6 planks per box



MODERNA 1513 Walnut Prime | 1900 mm x 190 mm x 14/3 mm | V Groove | light brushed | 23.32 sq.ft. / box | 6 planks per box

14 mm Construction with Click System



general specifications

characteristics	: moderna engineered wood flooring
description	: engineered prefinished hardwood flooring * 45 microbevel
thickness	: 14mm * 3mm top lamella
width	: 190mm
length	: 1900mm * 2 nested planks ; length from 600-1300 mm
installation	: floating * click
subfloor	: hard, dry, level surface * IPS/marble/mosaic/tiles
grade	: * character : These floors are appreciated for their pronounced color variation. They feature open and closed knots, mineral streaks, cracks, surface holes and other character or milling marks.
finish	: finishing system made of aluminium oxide and nanosilica partivle composites suspended in UV cured polyurethane : * duramatt Z (5-10% gloss) : * UV protection
certifications	: *SGS *FSC *CE *JAS *CARB2 *ED (fomaldehyde emission norm)
use	: * residential * light commercial * medium commercial
packing/box	: 23.32 sq.ft. * 6 pcs.